

CERTIFICATE

Survey of 28 April 2020

You have fulfilled the requirements of the External Quality Assessment with the following analysis

Virus Genome Detection - Coronaviruses (340):

Validity 12 months:

SARS-CoV-2 (RNA) - qualitative

(R) analysis is subject to the RiliBÄK

Participant:

68045

Dr^a Conceição Barreira

LAC Fernanda Galo

Edifício TomarLab

Rua Coronel Garçês Teixeira, 15

2300-463 Tomar

Düsseldorf, 01 May 2020



Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Prof. Dr. rer. nat. Heinz Zeichhardt
(Adviser)

CERTIFICATE OF PARTICIPATION

Survey of 28 April 2020

You have participated in the External Quality Assessment with the following analysis

Virus Genome Detection - Coronaviruses (340):
SARS-CoV-2 (RNA) - qualitative

(R) analysis is subject to the RiliBÄK

Participant:
68045
Dr^a Conceição Barreira
LAC Fernanda Galo
Edifício TomarLab
Rua Coronel Garçês Teixeira, 15
2300-463 Tomar

Düsseldorf, 01 May 2020



Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Prof. Dr. rer. nat. Heinz Zeichhardt
(Adviser)

Listing and evaluation of the results

68045: Dr^a Conceição Barreira
Edifício TomarLab

Survey of 28 April 2020

Adviser:

Prof. Dr. rer. nat. Heinz Zeichhardt
Institut für Qualitätssicherung in der
Virusdiagnostik - IQVD
Potsdamer Chaussee 80
14129 Berlin

Tel.: +49 30 8105 4300
Fax: +49 30 8105 4303
Mail: Heinz.Zeichhardt@iqvd.de

340

Virus Genome Detection - Coronaviruses

SARS-CoV-2 (RNA) - qualitative

Name of test	Unit	Method	Manufacturer				+
GeneFinder COVID-19 Plus		PCR / NAT (395)	ELITech (ET)				
Result (qual)	Sample	Your specification(s)	Correct specification(s)	TV-Type		Meets criteria	
(1)	340059	positive (3)					Sample not evaluated
	340060	below detection limit/negative (1)					Sample not evaluated
	340061	below detection limit/negative (1)	positive (3)	SV			
	340062	below detection limit/negative (1)	below detection limit/negative (1)	SV		+	
	340063	positive (3)	positive (3)	SV		+	
	340064	positive (3)					Sample not evaluated
	340065	below detection limit/negative (1)	below detection limit/negative (1)	SV		+	
Primer / Gene region	Sample	Your value					
	340059	RdRP gene					
	340060	RdRP gene					
	340061	RdRP gene					
	340062	RdRP gene					
	340063	RdRP gene					
	340064	RdRP gene					
	340065	RdRP gene					
Name of test	Unit	Method	Manufacturer				
GeneFinder COVID-19 Plus		PCR / NAT (395)	ELITech (ET)				
Result (qual)	Sample	Your specification(s)	Correct specification(s)	TV-Type		Meets criteria	
	340059	positive (3)					Sample not evaluated
	340060	below detection limit/negative (1)					Sample not evaluated
	340061	positive (3)	positive (3)	SV		+	
	340062	below detection limit/negative (1)	below detection limit/negative (1)	SV		+	
	340063	positive (3)	positive (3)	SV		+	
	340064	positive (3)					Sample not evaluated
	340065	below detection limit/negative (1)	below detection limit/negative (1)	SV		+	
Primer / Gene region	Sample	Your value					
	340059	N gene					
	340060	N gene					
	340061	N gene					
	340062	N gene					
	340063	N gene					
	340064	N gene					
	340065	N gene					

Listing and evaluation of the results

68045: Dr^a Conceição Barreira
Edifício TomarLab

Survey of 28 April 2020

SARS-CoV-2 (RNA) - qualitative
+

Name of test	Unit	Method	Manufacturer			
GeneFinder COVID-19 Plus		PCR / NAT (395)	ELITech (ET)			
Result (qual)	Sample	Your specification(s)	Correct specification(s)	TV-Type		Meets criteria
(1)	340059	positive (3)				Sample not evaluated
	340060	below detection limit/negative (1)				Sample not evaluated
	340061	below detection limit/negative (1)	positive (3)	SV		
	340062	below detection limit/negative (1)	below detection limit/negative (1)	SV		+
	340063	positive (3)	positive (3)	SV		+
	340064	positive (3)				
	340065	below detection limit/negative (1)	below detection limit/negative (1)	SV		+
Sample not evaluated						
Primer / Gene region	Sample	Your value				
	340059	E gene				
	340060	E gene				
	340061	E gene				
	340062	E gene				
	340063	E gene				
	340064	E gene				
	340065	E gene				

(1) This result was not taken into account for the granting of the certificate.